



PERFORMANCE TIRES





Under the brand name '**BANOZE**,' Banoze Ltd is one of the leading manufacturers and exporters of a wide range of PCR and TBR tires. Its headquarters are in London, England.

All of the products were carefully designed to meet all of the requirements for tires imported to our customers from Europe, Africa, and Latin America; thus, we introduced the '**Drive with European Technology**' program to ensure that all of the designs can provide end-users with safety on their journey.

Banoze is a high-end tire manufacturer, so we only use the most cutting-edge design and manufacturing techniques to create our tires. Both high mileage and high tonnage, or just high performance, are acceptable.

Our selection of products is flexible enough to meet any need.



Banoze Limited






X-ENERGI HP TIRE



Design Features

Performance test



Low RRC



Safety



Drainage



Low Noise



Comfort



Grip

Product Features



- **Criss-cross grooves design**

Enhance water evacuation, effectively prevent tire lateral slip on wet road.



- **Central wide rib design**

Combined with horizontal grooves provides nice stability, excellent acceleration and brake performance at high speed




X-PACER



Design Features

Performance test



Product Features



• Asymmetric Tread Design

Four wide design provide effective drainage and sufficient wet safety performance




• Innovative Technology

Willow leaf-shaped bio-mimetic tread block design. Effectively prevent abnormal wear of pattern block corners. Together with 'S' shaped on tread grooves, bring soft, silence and comfort.

X-HANDLER

Design Features

Performance test



Product Features

• Asymmetric Pattern Design

Ensuring better controlling performance of outside while enhancing drainage of inside.

• Innovative technology

Four wide deep grooves keep excellent wetting performance and handling stability.

• Pattern Performance

Outside shoulder reinforcement improving handling performance at curve, effectively preventing abnormal wear.

• Innovative Grooves Design


Bended steel groove, effectively reducing the noise while enlarging ground contact.



X-POWER

Design Features

Performance test



Low RRC Safety Drainage Low Noise Grip Asymmetric Handling

Product Features



• Asymmetric Pattern Design

'Flying Wing' large inclination with single guide symmetrical pattern, ensure the tire's super visual speed, drainage, and steering performance.



• Pattern performance

Center wide rib ensure the guide performance.



• Innovative technology

Four criss-cross grooves design, ensure the excellent drainage and handling performance.



• Innovative Grooves Design

A wide available groove design avoids air flow, decreases inordinate wear, and increases tire lifetime.




X-SPORT



Design Features

Performance test



Safety



Drainage



Control



Grip



Handling

Product Features




• Pattern Performance

Four wide grooves design provide effective drainage and sufficient wet safety performance



• Handling Performance

The compact shoulder design provide excellent handling performance with low noise



• Speed Performance

Design of central rib with sipes promotes the rigidity, help to balance high-speed performance and grip performance on wet land.



• Innovative Grooves Design

Multiple blade groove pattern provide excellent grip and handling performance on wet land.




X-LOADER

COMMERCIAL / LIGHT TRUCK TIRE



Design Features

Performance test



Safety



Drainage



Control



Grip



Handling

Product Features



- Pattern Performance**

Four wide grooves design provide effective drainage and sufficient wet safety performance



- Innovative Grooves Design**

Three longitudinal grooves enhance water evacuation.



- Grip performance**

Special more sipes and grooves design enhances the wet grip performance.



- Innovative Design**

Enhanced shoulder design increases driving stability with high load.

SIZE	LI/SR	Patterns
175/65R14	82H	X-Energi
175/65R15	84H	X-Energi
185/55R15	82V	X-Energi
185/60R15	84H	X-Energi
185/65R15	88H	X-Energi
195/50R15	82V	X-Energi
195/55R15	85V	X-Energi
195/60R15	88V	X-Energi
195/65R15	91V	X-Energi
195/45R16	84V XL	X-Pacer
195/55R16	91V	X-Energi
205/55ZR16	94WXL	X-Energi
205/60R16	92V	X-Energi
215/55ZR16	97WXL	X-Energi
215/60R16	95V	X-Energi
215/65R16	98H	X-Energi
205/45ZR17	88WXL	X-Pacer
205/50ZR17	93WXL	X-Pacer
205/55ZR17	95W XL	X-Pacer
215/45ZR17	91WXL	X-Pacer
215/50ZR17	95WXL	X-Pacer
215/60R17	96H	X-Sporti
215/55ZR17	98WXL	X-Pacer
225/45ZR17	94WXL	X-Pacer
225/50ZR17	98WXL	X-Pacer
225/55ZR17	101WXL	X-Pacer
245/45ZR17	99WXL	X-Pacer
215/55R18	95VXL	X-Sporti
225/40ZR18	92WXL	X-Pacer
225/45ZR18	95WXL	X-Pacer
225/55ZR18	102WXL	X-Handler
235/40ZR18	95WXL	X-Pacer
235/45ZR18	98WXL	X-Pacer
235/50ZR18	101WXL	X-Pacer
235/55ZR18	104WXL	X-Pacer
245/40ZR18	97WXL	X-Pacer
245/45ZR18	100WXL	X-Pacer
225/45ZR19	96WXL	X-Handler
245/45ZR19	102WXL	X-Pacer
255/35ZR19	96WXL	X-Pacer
275/40ZR20	106WXL	X-Pacer
195/70R15C	104/102S 8PR	X-Loader
185/75R16C	104/102S 8PR	X-Loader
195/65R16C	104/102T 8PR	X-Loader
205/65R16C	107/105T 8PR	X-Loader
235/65R16C	115/113T 8PR	X-Loader

Feel free to contact us if you require any additional sizes, we will be glad to assist you*

TRUCKIN'

NEW SELECTION OF BANOZE TRUCK TIRES



**New truck tires that improve
both handling and productivity.**



X-DRIVE 1

Design Features



X-DRIVE 3

Design Features




X-DRIVE 4

Design Features



X-MULTIMAX

Design Features





X-STEER 1

Design Features



X-STEER 2

Design Features



X-STEER 3

Design Features



X-TRAILER 1

Design Features





X-TRAILER 2

Design Features



X-LOAD 1

Design Features



X-LOAD 3

Design Features



SIZE	PR	PATTERN	BANOZE PATTERN NAME	L/S	STANDARD RIM	TREAD DEPTH(MM)	SECTION WIDTH(MM)	TREAD WIDTH(MM)	OUTER DIAMETER(MM)
11R22.5	16PR	216	X-STEER1	146/143M	8.25	14.5	279	212	1054
11R22.5	16PR	226	X-STEER2	146/143M	8.25	14.5	279	210	1054
11R22.5	16PR	306	X-MULTIMAX	146/143M	8.25	14.5	279	210	1054
11R22.5	16PR	706	X-DRIVE1	146/143M	8.25	16.5	279	220	1054
11R22.5	16PR	716	X-LOAD3	146/143M	8.25	18.0	279	212	1054
11R22.5	16PR	746	X-DRIVE3	146/143M	8.25	20.0	279	215	1054
11R22.5	16PR	779	X-LOAD1	146/143J	8.25	23.0	268	215	1054
295/80R22.5	18PR	216	X-STEER1	152/149M	9.00	14.5	298	236	1044
295/80R22.5	18PR	706	X-DRIVE1	152/149M	9.00	17.0	298	236	1044
295/80R22.5	18PR	716	X-LOAD3	152/149M	9.00	18.0	298	236	1044
315/80R22.5	20PR	306	X-MULTIMAX	156/150L	9.00	13.3	304	230	1061
315/80R22.5	20PR	216	X-STEER1	156/150L	9.00	13.3	304	230	1061
315/80R22.5	20PR	266	X-STEER3	156/150L	9.00	13.3	304	230	1061
315/80R22.5	20PR	766	X-DRIVE4	156/150L	9.00	19.0	304	230	1061
385/65R22.5	20PR	226	X-STEER2	160L	11.75	15.5	389	290	1072
385/65R22.5	20PR	506	X-TRAILER1	160L	11.75	15.5	389	290	1072
385/65R22.5	20PR	516	X-TRAILER-2	160L	11.75	15.5	389	290	1072
13R22.5	20PR	727	X-LOAD-2	156/150L	9.75	15.5	320	240	1124
13R22.5	20PR	306	X-MULTIMAX	156/150L	9.75	15.5	320	240	1124

Feel free to contact us if you require any additional sizes, we will be glad to assist you*



Banoze Limited

Head Office United Kingdom: 128 City Road, London.

Branch Office Hongkong: 1512, Lucky Centre, Wanchai.

Telephone: +44(0)20 8050 7978



www.banoze.com

